

949 Mapunapuna Street, Honolulu, 96819 – Account #5603562091 (Commercial Water Meter)

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-11-2020 08:41:00AM	265.000000	Usage: 265.000, Valid Usage: 41.200 - 618.000, Valid Readings: 449921.200 - 450498.000	450145.000000
12-08-2020 01:47:24PM	1985.000000	Usage: 1,985.000, Valid Usage: 371.800 - 5,577.000, Valid Readings: 448266.800 - 453472.000	449880.000000
11-11-2020 07:25:00AM	1970.000000	Usage: 1,970.000, Valid Usage: 422.800 - 6,342.000, Valid Readings: 446347.800 - 452267.000	447895.000000
10-11-2020 08:26:00AM	2165.000000	Usage: 2,165.000, Valid Usage: 415.600 - 6,234.000, Valid Readings: 444175.600 - 449994.000	445925.000000
09-10-2020 11:20:00AM	2165.000000	Usage: 2,165.000, Valid Usage: 405.000 - 6,075.000, Valid Readings: 442000.000 - 447670.000	443760.000000
08-10-2020 09:55:00AM	2015.000000	Usage: 2,015.000, Valid Usage: 415.000 - 6,225.000, Valid Readings: 439995.000 - 445805.000	441595.000000
07-10-2020 08:13:00AM	2085.000000	Usage: 2,085.000, Valid Usage: 406.600 - 6,099.000, Valid Readings: 437901.600 - 443594.000	439580.000000
06-10-2020 06:32:00AM	2275.000000	Usage: 2,275.000, Valid Usage: 409.600 - 6,144.000, Valid Readings: 435629.600 - 441364.000	437495.000000
05-11-2020 11:31:00AM	1710.000000	Usage: 1,710.000, Valid Usage: 404.000 - 6,060.000, Valid Readings: 433914.000 - 439570.000	435220.000000
04-12-2020 08:15:00AM	1955.000000	Usage: 1,955.000, Valid Usage: 441.800 - 6,627.000, Valid Readings: 431996.800 - 438182.000	433510.000000
03-12-2020 09:02:00AM	1785.000000	Usage: 1,785.000, Valid Usage: 442.400 - 6,636.000, Valid Readings: 430212.400 - 436406.000	431555.000000
02-11-2020 08:10:00AM	2310.000000	Usage: 2,310.000, Valid Usage: 446.600 - 6,699.000, Valid Readings: 427906.600 - 434159.000	429770.000000
01-11-2020 07:49:00AM	2235.000000	Usage: 2,235.000, Valid Usage: 433.600 - 6,504.000, Valid Readings: 425658.600 - 431729.000	427460.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-13-2021 07:07:00AM	2215.000000	Usage: 2,215.000, Valid Usage: 435.600 - 6,534.000, Valid Readings: 473810.600 - 479909.000	475590.000000
11-12-2021 06:39:00AM	1925.000000	Usage: 1,925.000, Valid Usage: 425.600 - 6,384.000, Valid Readings: 471875.600 - 477834.000	473375.000000
10-13-2021 07:21:00AM	1840.000000	Usage: 1,840.000, Valid Usage: 432.600 - 6,489.000, Valid Readings: 470042.600 - 476099.000	471450.000000
09-13-2021 06:36:00AM	2125.000000	Usage: 2,125.000, Valid Usage: 453.800 - 6,807.000, Valid Readings: 467938.800 - 474292.000	469610.000000
08-12-2021 11:14:00AM	2430.000000	Usage: 2,430.000, Valid Usage: 416.800 - 6,252.000, Valid Readings: 465471.800 - 471307.000	467485.000000
07-13-2021 06:50:00AM	2285.000000	Usage: 2,285.000, Valid Usage: 411.600 - 6,174.000, Valid Readings: 463181.600 - 468944.000	465055.000000
06-13-2021 08:53:00AM	2325.000000	Usage: 2,325.000, Valid Usage: 441.200 - 6,618.000, Valid Readings: 460886.200 - 467063.000	462770.000000
05-12-2021 09:44:00AM	2050.000000	Usage: 2,050.000, Valid Usage: 408.800 - 6,132.000, Valid Readings: 458803.800 - 464527.000	460445.000000
04-12-2021 08:20:00AM	2125.000000	Usage: 2,125.000, Valid Usage: 423.800 - 6,357.000, Valid Readings: 456693.800 - 462627.000	458395.000000
03-12-2021 06:32:00AM	1695.000000	Usage: 1,695.000, Valid Usage: 406.800 - 6,102.000, Valid Readings: 454981.800 - 460677.000	456270.000000
02-11-2021 09:47:00AM	2095.000000	Usage: 2,095.000, Valid Usage: 400.000 - 6,000.000, Valid Readings: 452880.000 - 458480.000	454575.000000
01-13-2021 10:25:00AM	2335.000000	Usage: 2,335.000, Valid Usage: 453.600 - 6,804.000, Valid Readings: 450598.600 - 456949.000	452480.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-12-2022 12:24:00PM	2120.000000	Usage: 2,120.000, Valid Usage: 395.000 - 5,925.000, Valid Readings: 498195.000 - 503725.000	499920.000000
11-12-2022 08:50:00AM	1790.000000	Usage: 1,790.000, Valid Usage: 402.200 - 6,033.000, Valid Readings: 496412.200 - 502043.000	497800.000000
10-13-2022 07:15:00AM	1895.000000	Usage: 1,895.000, Valid Usage: 417.200 - 6,258.000, Valid Readings: 494532.200 - 500373.000	496010.000000
09-12-2022 11:23:00AM	2085.000000	Usage: 2,085.000, Valid Usage: 410.600 - 6,159.000, Valid Readings: 492440.600 - 498189.000	494115.000000
08-12-2022 09:56:00AM	2175.000000	Usage: 2,175.000, Valid Usage: 403.000 - 6,045.000, Valid Readings: 490258.000 - 495900.000	492030.000000
07-12-2022 11:48:00AM	2295.000000	Usage: 2,295.000, Valid Usage: 427.800 - 6,417.000, Valid Readings: 487987.800 - 493977.000	489855.000000
06-10-2022 08:15:00AM	1940.000000	Usage: 1,940.000, Valid Usage: 408.000 - 6,120.000, Valid Readings: 486028.000 - 491740.000	487560.000000
05-11-2022 06:38:00AM	1950.000000	Usage: 1,950.000, Valid Usage: 391.400 - 5,871.000, Valid Readings: 484061.400 - 489541.000	485620.000000
04-12-2022 06:18:00AM	2005.000000	Usage: 2,005.000, Valid Usage: 431.000 - 6,465.000, Valid Readings: 482096.000 - 488130.000	483670.000000
03-11-2022 06:51:00AM	1755.000000	Usage: 1,755.000, Valid Usage: 395.800 - 5,937.000, Valid Readings: 480305.800 - 485847.000	481665.000000
02-10-2022 12:25:00PM	1825.000000	Usage: 1,825.000, Valid Usage: 412.800 - 6,192.000, Valid Readings: 478497.800 - 484277.000	479910.000000
01-12-2022 08:00:00AM	2495.000000	Usage: 2,495.000, Valid Usage: 420.200 - 6,303.000, Valid Readings: 476010.200 - 481893.000	478085.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-12-2023 11:30:00AM	2214.000000	Usage: 2,214.000, Valid Usage: 436.800 - 6,552.000, Valid Readings: 13436.800 - 19552.000	15214.000000
11-12-2023 11:26:00AM	2358.000000	Usage: 2,358.000, Valid Usage: 436.400 - 6,546.000, Valid Readings: 11078.400 - 17188.000	13000.000000
10-12-2023 10:22:00AM	2300.000000	Usage: 2,300.000, Valid Usage: 418.000 - 6,270.000, Valid Readings: 8760.000 - 14612.000	10642.000000
09-11-2023 06:43:00AM	2060.000000	Usage: 2,060.000, Valid Usage: 401.200 - 6,018.000, Valid Readings: 6683.200 - 12300.000	8342.000000
08-12-2023 10:36:00AM	2371.000000	Usage: 2,371.000, Valid Usage: 417.000 - 6,255.000, Valid Readings: 4328.000 - 10166.000	6282.000000
07-11-2023 06:46:00AM	2249.000000	Usage: 2,249.000, Valid Usage: 370.400 - 5,556.000, Valid Readings: 2032.400 - 7218.000	3911.000000
06-12-2023 08:13:00AM	1662.000000	Usage: 1,662.000, Valid Usage: 322.600 - 4,839.000, Valid Readings: 322.600 - 4839.000	1662.000000
05-18-2023 02:35:57PM	0.000000	No prior reading	0.000000
05-18-2023 02:31:57PM	541115.000000	Usage: 541,115.000, Valid Usage: 999,679.400 - 763.000, Valid Readings: 509562.400 - 510646.000	50998.000000
05-18-2023 02:25:00PM	398.000000	Usage: 398.000, Valid Usage: 77.400 - 1,161.000, Valid Readings: 509562.400 - 510646.000	509883.000000
05-12-2023 06:39:00AM	1775.000000	Usage: 1,775.000, Valid Usage: 372.800 - 5,592.000, Valid Readings: 508082.800 - 513302.000	509485.000000
04-13-2023 09:59:00AM	1760.000000	Usage: 1,760.000, Valid Usage: 403.000 - 6,045.000, Valid Readings: 506353.000 - 511995.000	507710.000000
03-13-2023 10:38:00AM	1955.000000	Usage: 1,955.000, Valid Usage: 392.200 - 5,883.000, Valid Readings: 504387.200 - 509878.000	505950.000000
02-11-2023 06:41:00AM	1995.000000	Usage: 1,995.000, Valid Usage: 411.400 - 6,171.000, Valid Readings: 502411.400 - 508171.000	503995.000000
01-11-2023 07:41:00AM	2080.000000	Usage: 2,080.000, Valid Usage: 400.800 - 6,012.000, Valid Readings: 500320.800 - 505932.000	502000.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-11-2024 07:43:00AM	2280.000000	Usage: 2,280.000, Valid Usage: 455.800 - 6,837.000, Valid Readings: 40660.800 - 47042.000	42485.000000
11-12-2024 01:06:00PM	2344.000000	Usage: 2,344.000, Valid Usage: 496.800 - 7,452.000, Valid Readings: 38357.800 - 45313.000	40205.000000
10-11-2024 09:00:00AM	2416.000000	Usage: 2,416.000, Valid Usage: 457.200 - 6,858.000, Valid Readings: 35902.200 - 42303.000	37861.000000
09-11-2024 10:52:00AM	2326.000000	Usage: 2,326.000, Valid Usage: 465.400 - 6,981.000, Valid Readings: 33584.400 - 40100.000	35445.000000
08-11-2024 10:32:00AM	2410.000000	Usage: 2,410.000, Valid Usage: 450.200 - 6,753.000, Valid Readings: 31159.200 - 37462.000	33119.000000
07-12-2024 06:43:00AM	2266.000000	Usage: 2,266.000, Valid Usage: 450.600 - 6,759.000, Valid Readings: 28893.600 - 35202.000	30709.000000
06-11-2024 09:26:00AM	360.000000	Usage: 360.000, Valid Usage: 55.800 - 837.000, Valid Readings: 28138.800 - 28920.000	28443.000000
06-07-2024 01:03:42PM	2418.000000	Usage: 2,418.000, Valid Usage: 377.800 - 5,667.000, Valid Readings: 26042.800 - 31332.000	28083.000000
05-11-2024 07:15:00AM	2012.000000	Usage: 2,012.000, Valid Usage: 428.800 - 6,432.000, Valid Readings: 24081.800 - 30085.000	25665.000000
04-11-2024 12:04:00PM	2233.000000	Usage: 2,233.000, Valid Usage: 445.400 - 6,681.000, Valid Readings: 21865.400 - 28101.000	23653.000000
03-11-2024 07:19:00AM	2041.000000	Usage: 2,041.000, Valid Usage: 431.600 - 6,474.000, Valid Readings: 19810.600 - 25853.000	21420.000000
02-10-2024 11:09:00AM	2327.000000	Usage: 2,327.000, Valid Usage: 411.800 - 6,177.000, Valid Readings: 17463.800 - 23229.000	19379.000000
01-12-2024 08:27:00AM	1838.000000	Usage: 1,838.000, Valid Usage: 459.000 - 6,885.000, Valid Readings: 15673.000 - 22099.000	17052.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
11-10-2025 07:37:23AM	2050.000000	Usage: 2,050.000, Valid Usage: 418.800 - 6,282.000, Valid Readings: 63138.800 - 69002.000	64770.000000
10-10-2025 07:10:56AM	2160.000000	Usage: 2,160.000, Valid Usage: 379.800 - 5,697.000, Valid Readings: 60939.800 - 66257.000	62720.000000
09-11-2025 07:01:27AM	2213.000000	Usage: 2,213.000, Valid Usage: 386.400 - 5,796.000, Valid Readings: 58733.400 - 64143.000	60560.000000
08-12-2025 07:18:00AM	2088.000000	Usage: 2,088.000, Valid Usage: 397.200 - 5,958.000, Valid Readings: 56656.200 - 62217.000	58347.000000
07-12-2025 10:17:00AM	1993.000000	Usage: 1,993.000, Valid Usage: 371.200 - 5,568.000, Valid Readings: 54637.200 - 59834.000	56259.000000
06-13-2025 07:44:00AM	1721.000000	Usage: 1,721.000, Valid Usage: 420.200 - 6,303.000, Valid Readings: 52965.200 - 58848.000	54266.000000
05-13-2025 10:04:00AM	2119.000000	Usage: 2,119.000, Valid Usage: 441.800 - 6,627.000, Valid Readings: 50867.800 - 57053.000	52545.000000
04-11-2025 07:45:00AM	1789.000000	Usage: 1,789.000, Valid Usage: 418.000 - 6,270.000, Valid Readings: 49055.000 - 54907.000	50426.000000
03-13-2025 07:13:00AM	2015.000000	Usage: 2,015.000, Valid Usage: 440.200 - 6,603.000, Valid Readings: 47062.200 - 53225.000	48637.000000
02-11-2025 06:40:00AM	2090.000000	Usage: 2,090.000, Valid Usage: 486.000 - 7,290.000, Valid Readings: 45018.000 - 51822.000	46622.000000
01-10-2025 12:01:00PM	2047.000000	Usage: 2,047.000, Valid Usage: 460.200 - 6,903.000, Valid Readings: 42945.200 - 49388.000	44532.000000

949 Mapunapuna Street, Honolulu, 96819 – Account #2220557274 (Fire Sprinkler #1)

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-23-2020 02:25:33PM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 422.000 - 422.000	422.000000
12-14-2020 10:04:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 421.000 - 421.000	422.000000
11-12-2020 08:46:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 421.000 - 421.000	421.000000
10-14-2020 10:21:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 421.000 - 421.000	421.000000
09-13-2020 02:05:00PM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 420.000 - 420.000	421.000000
08-12-2020 09:59:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 420.000 - 420.000	420.000000
07-14-2020 07:13:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 420.000 - 420.000	420.000000
06-14-2020 10:29:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 419.000 - 419.000	420.000000
05-14-2020 08:43:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 419.000 - 419.000	419.000000
04-14-2020 08:52:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 419.000 - 419.000	419.000000
03-16-2020 09:31:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 418.000 - 418.000	419.000000
02-14-2020 12:00:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 418.000 - 418.000	418.000000
01-15-2020 12:12:00PM	2.000000	Usage: 2.000, Valid Usage: 0.000 - 0.000, Valid Readings: 416.000 - 416.000	418.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-13-2021 06:17:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 3.000 - 3.000	3.000000
11-12-2021 06:39:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 2.000 - 2.000	3.000000
10-13-2021 08:06:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 2.000 - 2.000	2.000000
09-13-2021 06:21:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 2.000 - 2.000	2.000000
08-12-2021 10:05:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	2.000000
07-13-2021 06:50:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	1.000000
06-13-2021 06:04:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	1.000000
05-12-2021 08:15:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	1.000000
04-12-2021 07:39:00AM	1.000000	Usage: 1.000, no high/low	1.000000
03-12-2021 06:32:00AM	0.000000	Usage: 0.000, no high/low	0.000000
02-11-2021 09:48:00AM	0.000000	Usage: 0.000, no high/low	0.000000
01-13-2021 08:33:00AM	0.000000	Usage: 0.000, no high/low	0.000000
01-07-2021 12:48:00PM	0.000000	Usage: 0.000, no high/low	0.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-12-2022 12:17:00PM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 6.000 - 6.000	6.000000
11-12-2022 09:01:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 5.000 - 5.000	6.000000
10-13-2022 07:16:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 5.000 - 5.000	5.000000
09-12-2022 11:23:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 5.000 - 5.000	5.000000
08-12-2022 09:56:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 5.000 - 5.000	5.000000
07-12-2022 11:48:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 4.000 - 4.000	5.000000
06-10-2022 08:14:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 4.000 - 4.000	4.000000
05-11-2022 06:27:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 4.000 - 4.000	4.000000
04-12-2022 06:04:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 4.000 - 4.000	4.000000
03-11-2022 06:52:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 3.000 - 3.000	4.000000
02-10-2022 11:40:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 3.000 - 3.000	3.000000
01-12-2022 07:08:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 3.000 - 3.000	3.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-12-2023 10:37:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 9.000 - 9.000	9.000000
11-12-2023 09:49:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 8.000 - 8.000	9.000000
10-12-2023 10:22:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 8.000 - 8.000	8.000000
09-11-2023 06:43:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 8.000 - 8.000	8.000000
08-12-2023 10:43:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 8.000 - 8.000	8.000000
07-11-2023 06:29:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 7.000 - 7.000	8.000000
06-12-2023 08:15:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 7.000 - 7.000	7.000000
05-12-2023 06:40:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 7.000 - 7.000	7.000000
04-13-2023 10:01:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 7.000 - 7.000	7.000000
03-13-2023 10:41:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 6.000 - 6.000	7.000000
02-11-2023 06:45:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 6.000 - 6.000	6.000000
01-11-2023 07:41:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 6.000 - 6.000	6.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-11-2024 07:43:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	1.000000
11-18-2024 01:12:18PM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	1.000000
11-13-2024 06:36:00AM	1.000000	Usage: 1.000, no high/low	1.000000
10-14-2024 07:37:00AM	0.000000	Usage: 0.000, Valid Usage: 0.200 - 3.000, Valid Readings: 0.200 - 3.000	0.000000
09-12-2024 08:05:00AM	0.000000	Usage: 0.000, no high/low	0.000000
08-13-2024 07:46:00AM	0.000000	Usage: 0.000, no high/low	0.000000
07-15-2024 08:12:00AM	0.000000	Usage: 0.000, Valid Usage: 0.200 - 3.000, Valid Readings: 0.200 - 3.000	0.000000
06-13-2024 10:38:00AM	0.000000	Usage: 0.000, no high/low	0.000000
06-07-2024 01:06:16PM	0.000000	No prior reading	0.000000
06-07-2024 01:02:16PM	3.000000	Usage: 3.000, Valid Usage: 0.000 - 0.000, Valid Readings: 12.000 - 12.000	15.000000
05-11-2024 07:15:00AM	2.000000	Usage: 2.000, Valid Usage: 0.000 - 0.000, Valid Readings: 10.000 - 10.000	12.000000
04-11-2024 12:04:00PM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 9.000 - 9.000	10.000000
03-11-2024 07:19:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 9.000 - 9.000	9.000000
02-10-2024 11:20:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 9.000 - 9.000	9.000000
01-12-2024 08:28:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 9.000 - 9.000	9.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
11-10-2025 07:37:49AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 4.000 - 4.000	4.000000
10-10-2025 07:11:24AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 4.000 - 4.000	4.000000
09-11-2025 07:01:24AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 4.000 - 4.000	4.000000
08-12-2025 07:34:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 3.000 - 3.000	4.000000
07-12-2025 10:18:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 3.000 - 3.000	3.000000
06-13-2025 07:44:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 2.000 - 2.000	3.000000
05-13-2025 10:04:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 2.000 - 2.000	2.000000
04-11-2025 07:44:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	2.000000
03-13-2025 07:13:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	1.000000
03-10-2025 11:23:59AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	1.000000
03-06-2025 02:22:38PM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	1.000000
02-11-2025 07:27:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	1.000000
01-10-2025 12:04:00PM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	1.000000

949 Mapunapuna Street, Honolulu, 96819 – Account #5491636645 (Fire Sprinkler #2)

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-23-2020 02:26:09PM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 43.000 - 43.000	43.000000
12-11-2020 08:27:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 42.000 - 42.000	43.000000
11-12-2020 08:38:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 42.000 - 42.000	42.000000
10-11-2020 08:36:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 42.000 - 42.000	42.000000
09-10-2020 11:36:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 41.000 - 41.000	42.000000
08-10-2020 06:29:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 41.000 - 41.000	41.000000
07-10-2020 08:36:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 41.000 - 41.000	41.000000
06-10-2020 06:33:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 40.000 - 40.000	41.000000
05-11-2020 11:32:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 40.000 - 40.000	40.000000
04-12-2020 08:14:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 39.000 - 39.000	40.000000
03-12-2020 08:31:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 39.000 - 39.000	39.000000
02-12-2020 12:00:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 39.000 - 39.000	39.000000
01-11-2020 07:47:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 38.000 - 38.000	39.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-13-2021 06:18:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 3.000 - 3.000	3.000000
11-12-2021 05:59:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 3.000 - 3.000	3.000000
10-13-2021 07:22:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 2.000 - 2.000	3.000000
09-13-2021 06:15:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 2.000 - 2.000	2.000000
08-12-2021 09:37:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 2.000 - 2.000	2.000000
07-13-2021 09:16:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	2.000000
06-13-2021 08:53:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	1.000000
05-12-2021 09:45:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 1.000 - 1.000	1.000000
04-12-2021 07:32:00AM	1.000000	Usage: 1.000, no high/low	1.000000
03-12-2021 06:32:00AM	0.000000	Usage: 0.000, no high/low	0.000000
02-11-2021 09:43:00AM	0.000000	Usage: 0.000, no high/low	0.000000
01-13-2021 08:35:00AM	0.000000	Usage: 0.000, no high/low	0.000000
01-07-2021 12:43:00PM	0.000000	Usage: 0.000, no high/low	0.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-12-2022 12:16:00PM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 9.000 - 9.000	9.000000
11-12-2022 08:51:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 8.000 - 8.000	9.000000
10-13-2022 07:16:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 8.000 - 8.000	8.000000
09-12-2022 11:24:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 7.000 - 7.000	8.000000
08-12-2022 09:57:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 7.000 - 7.000	7.000000
07-12-2022 08:07:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 6.000 - 6.000	7.000000
06-10-2022 08:15:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 6.000 - 6.000	6.000000
05-11-2022 06:27:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 5.000 - 5.000	6.000000
04-12-2022 06:48:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 5.000 - 5.000	5.000000
03-11-2022 06:51:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 4.000 - 4.000	5.000000
02-10-2022 12:25:00PM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 4.000 - 4.000	4.000000
01-12-2022 08:00:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 3.000 - 3.000	4.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-12-2023 11:30:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 14.000 - 14.000	14.000000
11-12-2023 09:49:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 13.000 - 13.000	14.000000
10-12-2023 10:23:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 13.000 - 13.000	13.000000
09-11-2023 06:24:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 13.000 - 13.000	13.000000
08-12-2023 10:43:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 12.000 - 12.000	13.000000
07-11-2023 06:58:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 12.000 - 12.000	12.000000
06-12-2023 08:15:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 11.000 - 11.000	12.000000
05-12-2023 06:40:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 11.000 - 11.000	11.000000
04-13-2023 07:19:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 11.000 - 11.000	11.000000
03-13-2023 10:38:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 10.000 - 10.000	11.000000
02-11-2023 06:45:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 10.000 - 10.000	10.000000
01-11-2023 07:42:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 9.000 - 9.000	10.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
12-11-2024 07:42:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 20.000 - 20.000	21.000000
11-12-2024 07:38:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 20.000 - 20.000	20.000000
10-11-2024 08:46:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 19.000 - 19.000	20.000000
09-11-2024 07:57:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 19.000 - 19.000	19.000000
08-11-2024 10:38:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 18.000 - 18.000	19.000000
07-12-2024 06:44:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 18.000 - 18.000	18.000000
06-11-2024 09:29:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 17.000 - 17.000	18.000000
05-11-2024 07:14:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 17.000 - 17.000	17.000000
04-11-2024 12:04:00PM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 16.000 - 16.000	17.000000
03-11-2024 07:18:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 15.000 - 15.000	16.000000
02-10-2024 11:20:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 15.000 - 15.000	15.000000
01-12-2024 08:27:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 14.000 - 14.000	15.000000

READ DATE/TIME	READ DIFFERENCE	MESSAGE DETAILS	REGISTER READING
11-10-2025 07:35:29AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 26.000 - 26.000	27.000000
10-10-2025 07:10:57AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 26.000 - 26.000	26.000000
09-11-2025 07:11:56AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 25.000 - 25.000	26.000000
08-12-2025 07:20:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 24.000 - 24.000	25.000000
07-12-2025 10:18:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 24.000 - 24.000	24.000000
06-13-2025 07:11:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 23.000 - 23.000	24.000000
05-13-2025 07:05:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 23.000 - 23.000	23.000000
04-11-2025 07:23:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 22.000 - 22.000	23.000000
03-13-2025 06:54:00AM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 22.000 - 22.000	22.000000
02-11-2025 06:40:00AM	1.000000	Usage: 1.000, Valid Usage: 0.000 - 0.000, Valid Readings: 21.000 - 21.000	22.000000
01-10-2025 12:22:00PM	0.000000	Usage: 0.000, Valid Usage: 0.000 - 0.000, Valid Readings: 21.000 - 21.000	21.000000